•	Application No.	Applicant(s)
	• •	
Notice of Allowability	09/888,832 Examiner	RUCKART, JOHN Art Unit
, , , , , , , , , , , , , , , , , , ,	Laminer	Acom
	Ovidio Escalante	2645
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. \square This communication is responsive to <u>8/15/05</u> .		
2. The allowed claim(s) is/are <u>47</u> .		
3. The drawings filed on 15 June 2001 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
6. CORRECTED DRAWINGS (as "replacement sheets") mus	t be submitted.	
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
 Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date (A/45/05) 0² 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. ☐ Interview Sur Paper No./M 8), 7. ☐ Examiner's A	rmal Patent Application (PTO-152) nmary (PTO-413), lail Date mendment/Comment tatement of Reasons for Allowance

Application/Control Number: 09/888,832

Art Unit: 2645

. 27

DETAILED ACTION

1. This action is in response to applicant's amendment filed on August 15, 2005. Claim 47 is now pending in the present application.

Information Disclosure Statement

2. The information disclosure statement submitted on August 15, 2005 was received. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly the information disclosure statement is being considered by the examiner.

REASONS FOR ALLOWANCE

3. The following is an examiner's statement of reasons for allowance: the application is allowable for the reasons set forth on pages 18-20 of the Applicant's response filed on December 13, 2004 and for the reasons set forth on page 3 of the Applicant's response filed on August 15, 2005.

Regarding claim 47, As noted therein, the claimed invention requires inter alia a method for saving both directory numbers and visual projection information for each of the directory numbers; comparing the directory number and if there is a match projecting the saved information onto a projection surface and if there is not match then projecting the caller identification information onto a projection surface, whereas the closest prior art Schnarel et al. in view of Gwmizer only teach projecting caller ID onto a projection surface and do not teach or suggest of saving visual projection information for each of the directory numbers; comparing the directory number and if there is a match projecting the saved information onto a projection surface and if there is not match then projecting the caller identification information onto a projection surface.

Application/Control Number: 09/888,832

Art Unit: 2645

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Claim 47 has been renumbered to claim 1.

Conclusion

5. Any response to this action should be mailed to:

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

or faxed to:

(571) 273-8300, (for formal communications intended for entry)

Or:

(571) 273-7537, (for informal or draft communications, please label "PROPOSED" or "DRAFT")

Hand-delivered responses should be brought to:

Customer Service Window Randolph Building 401 Dulany Street Alexandria, VA 22314

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ovidio Escalante whose telephone number is 571-272-7537. The examiner can normally be reached on M-Th from 6:30AM to 4:00PM. The examiner can also be reached on alternate Fridays.

Art Unit: 2645

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Fan S Tsang can be reached on 571-272-7547. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

OVIDIO ESCALANTE PATENT EXAMINER

Ovideo Excelorite

Ovidio Escalante

Examiner Group 2645

October 20, 2005

O.E./oe